

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,869,496 B1
APPLICATION NO. : 10/626342
DATED : March 22, 2005
INVENTOR(S) : Richard A. Kollaja

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2,

Line 1, Delete “,” before “holding”.

Column 3,

Line 22, After “comprising” insert -- a --.

Line 37, After “sheet” delete “;”.

Line 45, Delete “method” and insert -- methods --, therefor.

Column 4,

Line 49, Delete “polyester” and insert -- polyesters --, therefor.

Column 5,

Line 5, After “temperature” insert -- , --.

Line 31, After “35%” delete “;” and insert -- , --, therefor.

Line 53, After “temperature” insert -- . --.

Line 59, After “to” delete “;”.

Line 60, Delete “rang” and insert -- range --, therefor.

Column 6,

Line 4, Insert --) -- before “divided”.

Line 6, After “25 N/mm²” insert -- , --.

Line 17, After “results” delete “;”.

Line 17, After “the” delete “;”.

Line 20 (approx.), After “means” insert -- , --.

Line 26 (approx.), Delete “brad” and insert -- brand --, therefor.

Line 63, Delete “as” and insert -- is --, therefor.

Column 7,

Line 36 (approx.), Delete “commerically” and insert -- commercially --, therefor.

Column 8,

Line 5, Delete “semi crystalline” and insert -- semicrystalline --, therefor.

Line 11, Insert -- (UV) -- before “absorbers”.

Line 15, After “D-68623” delete “;”.

Line 17, After “included” insert -- the UV --.

Line 19, After “Lampertheim” insert -- , --.

Lines 28-29, Delete “decabromodiphenyloxide” and insert -- decabromodiphenyloxide --, therefor.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,869,496 B1
APPLICATION NO. : 10/626342
DATED : March 22, 2005
INVENTOR(S) : Richard A. Kollaja

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9,

Line 42, After "are" delete ",".
Line 46, After "Engineering" insert -- , --.
Line 48, Delete "Scieinced" and insert -- Science --, therefor.
Line 50, Delete "part" and insert -- particularly --, therefor.
Line 57, Delete "peel-strength" and insert -- peel strength --, therefor
Line 67, After "later" insert -- . --.

Column 10,

Line 10, After "St." delete ",".
Line 27, After "579)" insert -- . --.
Line 50, After "adhesive" insert -- , --.

Column 11,

Line 58, After "techniques" insert -- , --.

Column 12,

Line 17, Delete "followings" and insert -- following --, therefor.
Line 32, After "may" delete ",".

Column 13,

Line 46, After "50" delete "nm" and insert -- mm --, therefor.
Line 62, Delete "0.5,%" and insert -- 0.5% --, therefor.

Column 14,

Line 37, Delete "hour" and insert -- hours --, therefor.
Line 43, Delete "defied" and insert -- defined --, therefor.
Line 45 (approx.), Insert -- (-- before "E-modulus".

Column 15,

Line 1, Delete "Insruction" and insert -- Instruction --, therefor.
Line 2, Delete "SC1000" and insert -- SC1100 --, therefor.
Line 2, Delete "Contour" and insert -- Contours --, therefor.
Line 4, After "general" insert -- , --.
Line 15, Delete "moulded" and insert -- molded --, therefor.
Line 47, After "M_w=61,000" insert -- . --.
Line 56, After "respectively" insert -- . --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,869,496 B1
APPLICATION NO. : 10/626342
DATED : March 22, 2005
INVENTOR(S) : Richard A. Kollaja

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16,

Lines 11-12, Delete "contenet" and insert -- content --, therefor.

Line 17, after "point" delete " ,".

Line 22, Delete "Wdss" and insert -- Weiss --, therefor.

Line 27, After "USA" insert -- . --.

Line 48, After "Example 1" insert -- , --.

Line 56, After "Mass." insert -- / --.

Line 62, Delete "Speialty" and insert -- Specialty --, therefor.

Line 62, After "Germany)," insert -- and --.

Column 18,

Lines 62-63, After "Table" delete "33" and insert -- 3 --, therefor.

Column 19,

Line 47, After "phr." delete " ,".

Column 21,

Line 15, Delete "3300" and insert -- 1070 --, therefor.

Line 22, Delete "0.3%" and insert -- 3% --, therefor.

Line 29, After "unsuitable" insert -- . --.

Line 53, After "Co" insert -- . --.

Line 55, Delete "pal" and insert -- pastel --, therefor.

Line 66, Delete "40.0°" and insert -- 40.0% --, therefor.

Line 67, Delete "polpropylene" and insert -- polypropylene --, therefor.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,869,496 B1
APPLICATION NO. : 10/626342
DATED : March 22, 2005
INVENTOR(S) : Richard A. Kollaja

Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23,

Line 2, In Claim 1, delete "N/mm²" and insert -- N/mm² --, therefor.

Line 28 (approx.), In Claim 4, delete "N/mm²" and insert -- N/mm² --, therefor.

Signed and Sealed this

Sixth Day of February, 2007

A handwritten signature in black ink, reading "Jon W. Dudas", is written over a rectangular area with a light gray, textured background.

JON W. DUDAS

Director of the United States Patent and Trademark Office